Risk Assessment for Animal Use Protocol

AUP #:	
PI:	
Email:	

Species	Type of Exposure

Check all that apply in the AUP and assign a level of risk. If a "Risk Description" does not apply, then do not check the box or assign a level of risk.

	Risk Description	Low	Medium	High	IACUC Determination
☐	Physical contact with fish, amphibians, nonvenomous reptiles, or birds less than 5 kg	☐	☐	☐	☐ Low ☐ Medium ☐ High

	Risk Description	Low	Medium	High	IACUC Determination
☐	Physical contact with fish, amphibians, nonvenomous reptiles, or birds greater than 5 kg	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Physical contact with venomous reptiles	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Physical contact with rodents or rabbits 1 day or less in any given week	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Physical contact with rodents or rabbits more often than 1 day in any given week	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Physical contact with wild rodents	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Physical contact with wild mammals other than rodents and non-human primates	☐	☐	☐	☐ Low ☐ Medium ☐ High
	Risk Description	**Low**	**Medium**	**High**	**IACUC Determination**
☐	Physical contact with or close proximity to (within 2 m) captive or wild non-human primates	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Work with unsterilized non-mammalian tissues, fluids, or wastes	☐	☐	☐	☐ Low ☐ Medium ☐ High

	Risk Description	Low	Medium	High	IACUC Determination
☐	Work with unsterilized mammalian tissues, fluids, or wastes	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Biosafety Level 1	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Biosafety Level 2	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Biosafety Level 3	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Biosafety Level 4	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Hands-on work with mammalian bedding and/or cages	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Presence in animal rooms but without physical contact with animals	☐	☐	☐	☐ Low ☐ Medium ☐ High
	Risk Description	**Low**	**Medium**	**High**	**IACUC Determination**
☐	Use of sharps (e.g., syringes, scalpels, sutures, injectors)	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Use of volatiles (e.g., halothane) in anesthesia or euthanasia	☐	☐	☐	☐ Low ☐ Medium ☐ High

	Risk Description	Low	Medium	High	IACUC Determination
☐	Necropsy, non-mammalian species	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Necropsy, mammals other than non-human primates	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Necropsy, non-human primates	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Observational field work	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Work at accessible field sites (i.e., less than 1 day's travel to a town) for less than 24 hours per visit	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Work at remote field sites (i.e., greater than 1 day's travel to a town) exceeding 48 hours per visit	☐	☐	☐	☐ Low ☐ Medium ☐ High
☐	Work in a location with endemic infectious disease concerns	☐	☐	☐	☐ Low ☐ Medium ☐ High
	Risk Description	**Low**	**Medium**	**High**	**IACUC Determination**
☐	**Other field risk factors**				
		☐	☐	☐	☐ Low ☐ Medium ☐ High

		☐	☐	☐	☐ Low ☐ Medium ☐ High
		☐	☐	☐	☐ Low ☐ Medium ☐ High
☐ **Other biological or chemical risk factors**				
		☐	☐	☐	☐ Low ☐ Medium ☐ High
		☐	☐	☐	☐ Low ☐ Medium ☐ High
		☐	☐	☐	☐ Low ☐ Medium ☐ High
☐ **Other risk factors**				
		☐	☐	☐	☐ Low ☐ Medium ☐ High
		☐	☐	☐	☐ Low ☐ Medium ☐ High
		☐	☐	☐	☐ Low ☐ Medium ☐ High

☐	None of the above risks apply to personnel involved with this protocol.				☐ Agree ☐ Disagree
☐	**Total**				